

A

08/04/99
1c665 U.S. PTO

PATENT

Our File No. HD 100US

1c649 U.S. PTO
09/366858
08/04/99

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

BOX PATENT APPLICATIONS
Assistant Commissioner for Patents
Washington, D.C. 20231

NEW APPLICATION TRANSMITTAL
(ONLY FOR NEW NONPROVISIONAL APPLICATIONS UNDER
37 C.F.R. SECTION 1.53(b))

Sir:

Transmitted herewith for filing is the patent application of Inventors:

WILLIAM DRENTTEL and JESSICA HELFAND

For:


METHOD AND SYSTEM FOR COMPUTER SCREEN LAYOUT BASED ON A RECOMBINANT GEOMETRIC MODULAR STRUCTURE

Enclosed are also:

- (X) A Combined Declaration and Power of Attorney
- () Assignment together with Form PTO-1595

CERTIFICATE OF EXPRESS MAIL UNDER 37 C.F.R. 1.10

"Express Mail" Mailing Label No.EL299786461US on August 4, 1999,
I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" Service under 37 C.F.R. 1.10 on the date indicated above and is addressed to: BOX PATENT APPLICATIONS, Assistant Commissioner for Patents, Washington, D.C. 20231.


Erica D. Mitchell

(X) 10 sheets of formal drawings.

() Simultaneous Amendment

(X) Verified Statement Claiming Small Entity Status -Independent Inventor

(X) Check in the sum of \$380.00

(x) Return receipt postcard

The filing fee has been calculated as shown below:

FOR	(Col. 1)	(Col. 2)	SMALL ENTITY			OTHER THAN A		
	NO. FILED	NO. EXTRA	RATE	FEE	or	RATE	FEE	
Basic Fee	////////	//////////		\$380	or	////	\$760	
Total Claims	16-20 =	0		\$18				
Independent Claims	4-3=	1		\$39	=	39		
() Multiple Dependent Claim Presented				+ \$135	=	or + \$270	= \$	
				TOTAL	= \$419	or TOTAL	= \$	

* If the difference in Col. 1 is less than zero, enter "0" in Col. 2.

Fee Payment Being Made:

(X) Enclosed

(X) Basic filing Fee \$ 419

() Recording Assignment \$ _____
[37 CFR 1.21(h) (1)]


Total fees \$ 419

(X) A check in the amount of \$ 380 to cover filing fee and assignment recordation fee is enclosed.

(X) The Commissioner is hereby authorized to charge payment of the above-calculated filing fees to Deposit Account No. 19-2385.

- (X) The Commissioner is hereby authorized to charge payment of any additional filing or other fees required under 37 CFR 1.16 and/or 37 CFR 1.21(h)(1) associated with this communication or credit any overpayment to Deposit Account No. 19-2385. Two copies of this sheet are enclosed.

Respectfully submitted,

By 
Evelyn M. Sommer
Registration No. 19,603

Skadden, Arps, Slate, Meagher
& Flom LLP
919 Third Avenue
New York, New York 10022-3897
(212) 735-3272

Enclosures

**STATEMENT CLAIMING SMALL ENTITY STATUS
(37 CFR 1.9(f) & 1.27(b))—INDEPENDENT INVENTOR**

Docket Number (Optional)

HD 100US

Applicant, Patentee, or Identifier William Drenttel and Jessica Helfand

Application or Patent No. _____

Filed or Issued Herewith

Title METHOD AND SYSTEM FOR COMPUTER SCREEN LAYOUT BASED
ON A RECOMBINANT GEOMETRIC MODULAR STRUCTURE

As a below named inventor, I hereby state that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees to the Patent and Trademark Office described in:

- ☒ the specification filed herewith with title as listed above.
☐ the application identified above
☐ the patent identified above.

I have not assigned, granted, conveyed, or licensed, and am under no obligation under contract or law to assign, grant, convey, or license, any rights in the invention to any person who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern, or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

- ☒ No such person, concern, or organization exists.
☐ Each such person, concern, or organization is listed below.

Separate statements are required from each named person, concern, or organization having rights to the invention stating their status as small entities. (37 CFR 1.27)

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

William Drenttel
NAME OF INVENTOR

Jessica Helfand
NAME OF INVENTOR

NAME OF INVENTOR

William Drenttel
Signature of inventor

Jessica Helfand
Signature of inventor

Signature of inventor

7/27/99
Date

7/27/99
Date

Date

METHOD AND SYSTEM FOR COMPUTER SCREEN LAYOUT BASED ON A RECOMBINANT GEOMETRIC MODULAR STRUCTURE

FIELD OF THE INVENTION

The present invention relates generally to screen or page layouts.

More particularly, the present invention relates to a method and system for arranging text and graphic images on a computer screen or printed page. The present invention may have applications including the design and layout of World Wide Web sites and operating system interfaces.

BACKGROUND OF THE PRESENT INVENTION

Initially, the Internet was a private network for government and academia that facilitated the exchange of text-based research across electronically-linked phone lines. More recently, the World Wide Web ("the Web") has grown from the Internet to include a broader demographic reach by enabling the transmittal of multiple types of media in addition to plain text. However, despite the sophistication of contemporary browser technologies, the web remains an increasingly difficult environment in which to present complex information in a simple manner.

In the absence of compositional limitations, content developers try desperately to incorporate a wide variety of material types, including text and images, charts and research databases, stock tickers and transactional services, search

engines and reference materials, plus personal files, linked files, and even linked applications. Additionally, this array of content and material types is being delivered and filtered through constantly changing technology and with ever evolving modes of presentation. While there are new and better delivery vehicles for this endless stream of content, what is missing is an underlaying visual structure for organizing and displaying this content.

Web-site authoring software assists content developers in creating the hyper-text mark-up language ("HTML") necessary to enable such material to be "published" on the Web, but the resulting material is often poorly presented, and difficult to access, to navigate, and to understand. Some Web-site authoring tools, such as Fusion™, available from NetObjects of Redwood City, California, offer a variety of page templates for the insertion and subsequent display of information including text and graphics. These page templates are professionally designed single pages or forms containing generic content which is used as a placeholder for the content developers to replace with their own content or information. As such, the templates help the web page designer carve up a page or screen and create a framework in which information may be entered and displayed. Fusion™, for example, offers a variety of combined column and row based layout templates, as well as a set of templates designed for specific subject matter such as archives, billing forms, calendar of events, employee profiles, etc.

Although generic templates offer an attempted solution to this "web" of confusion, a more harmonious system of templates is needed to make this solution more reliable and more adaptable for different user needs. Accordingly, a system that offers a reliable and flexible toolkit for information architecture and display, and that provides a series of harmonious and coordinated templates to help developers edit, organize, and display their content to the users who need them most, is needed.

Further, such a system for information architecture and management has numerous potential applications, including but not limited to a series of layout templates for site-authoring software; an interface structure for user-driven information arrangement within an Internet or Intranet browser (e.g., user-driven personalization in My Netscape™ or My Yahoo™); or an interface structure for organizing files at the level of a computer operating system (e.g. windows sizeable and moveable by a user, but constrained to a given grid, or that open in fixed sizes, or that "snap to" fixed positions on a pre-determined grid structure). In each instance, the proposed invention offers a system for creating order in the display of information.

Because information is often presented on a computer screen, the manner of presentation on such a screen is an important aspect of the above objects. Computer screens generally are in the form of a rectangular module. Although at first impression, the shape of a computer screen may be considered uninteresting, user perception of the screen, and the information thereby displayed, is in fact influ-

enced by a host of cultural associations. Consequently, interpretations of something as simple as a rectangle can vary, suggesting different social, symbolic, metaphorical, aesthetic and even spiritual qualities that affect our understanding of, and relationship to, a computer interface through a computer screen.

SUMMARY OF THE INVENTION

It is therefore an object of the present invention to provide an improved organizational framework for information provided by computer interfaces such as used to create web pages or computer operating systems user-interfaces.

It is a related object of the present invention to provide a system that offers a reliable and flexible toolkit for information architecture and display, and that provides a series of templates to help developers edit, organize, and display their content to the users.

These and other objects, features, and advantages of the present invention are accomplished in accordance with the principles of the present invention by invoking the geometric and proportional imperatives of the classic Japanese Tatami mat, to provide editing, visualization, and site architecture tools that enable developers to create screen designs, such as Internet or Intranet sites, or operating system user-interfaces, that simplify information by making it visually appealing, culturally relevant, and functionally clear. The seemingly conflicting ideals of computer information sites are resolved in accordance with the principles of the present invention by using design in general (and geometry in particular) as powerful tools for communication, information delivery, and exchange.

The present invention provides a design system that consists of a series of grid templates arranged in accordance with the recombinant geometries and

compositional imperatives of the classic Japanese Tatami mat. The aspect ratio of the Japanese Tatami mat is based on a double square (a two-to-one ratio), which, in combination, lends itself to the basic proportions of a standard 15-inch computer monitor. The concept behind the present invention -- the provision of a graphical grid, based on Tatami mat proportions, for displaying information on a computer screen -- is a simple way to approach site design and information organization. The grid provided by the present invention is based on mathematically predetermined proportions -- the modules of the grid work in varying combinations and can be repositioned.

The above and other objects, features, and advantages of the present invention will be readily apparent from the following detailed description of the invention taken in conjunction with the accompanying drawings wherein like reference characters represent like elements, the scope of the invention being set out in the appended claims.

BRIEF DESCRIPTION OF THE DRAWINGS

For a more complete understanding of the present invention, reference is made to the following Detailed Description taken in conjunction with the accompanying drawings in which:

Fig. 1 illustrates a screen having a two-by-two dimensional configuration;

Figs. 2A and 2B show templates having the two-by-two dimensional ratio of Fig. 1 and divided into a grid structure based on a Japanese tatami mat;

Figs. 2Aa and 2Ab show alternative templates based on the template of Fig. 2A, but with one of the grids further divided in half;

Figs. 2Ba and 2Bb show alternative templates based on the template of Fig. 2B, but with one of the grids further divided in half;

Figs. 3A, 3B, and 3C show templates having a two-by-three dimensional ratio and divided into a grid structure based on a Japanese tatami mat;

Figs. 3Aa, 3Ab, and 3Ac show alternative templates based on the template of Fig. 3A, but with one of the grids further divided in half;

Figs. 3Ba, 3Bb, and 3Bc show alternative templates based on the template of Fig. 3B, but with one of the grids further divided in half;

Figs. 3Ca, 3Cb, and 3Cc show alternative templates based on the template of Fig. 3C, but with one of the grids further divided in half;

Figs. 4A-4E show templates having a two-by-four dimensional ratio and divided into a grid structure based on a Japanese tatami mat;

Figs. 4Aa, 4Ab, 4Ac, and 4Ad show alternative templates based on the template of Fig. 4A, but with one of the grids further divided in half;

Figs. 4Ba, 4Bb, 4Bc, and 4Bd show alternative templates based on the template of Fig. 4B, but with one of the grids further divided in half;

Figs. 4Ca, 4Cb, 4Cc, and 4Cd show alternative templates based on the template of Fig. 4C, but with one of the grids further divided in half;

Figs. 4Da, 4Db, 4Dc, and 4Dd show alternative templates based on the template of Fig. 4D, but with one of the grids further divided in half;

Figs. 4Ea, 4Eb, 4Ec, and 4Ed show alternative templates based on the template of Fig. 4E, but with one of the grids further divided in half;

Figs. 5A-5K show templates having a three-by-four dimensional ratio and divided into a grid structure based on a Japanese tatami mat;

Figs. 5Aa, 5Ab, 5Ac, 5Ad, 5Ae, and 5Af show alternative templates based on the template of Fig. 5A, but with one of the grids further divided in half;

Figs. 5Ba, 5Bb, 5Bc, 5Bd, 5Be, and 5Bf show alternative templates based on the template of Fig. 5B, but with one of the grids further divided in half;

Figs. 5Ca, 5Cb, 5Cc, 5Cd, 5Ce, and 5Cf show alternative templates based on the template of Fig. 5C, but with one of the grids further divided in half;

Figs. 5Da, 5Db, 5Dc, 5Dd, 5De, and 5Df show alternative templates based on the template of Fig. 5D, but with one of the grids further divided in half;

Figs. 5Ea, 5Eb, 5Ec, 5Ed, 5Ee, and 5Ef show alternative templates based on the template of Fig. 5E, but with one of the grids further divided in half;

Figs. 5Fa, 5Fb, 5Fc, 5Fd, 5Fe, and 5Ff show alternative templates based on the template of Fig. 5F, but with one of the grids further divided in half;

5 Figs. 5Ga, 5Gb, 5Gc, 5Gd, 5Ge, and 5Gf show alternative templates based on the template of Fig. 5G, but with one of the grids further divided in half;

Figs. 5Ha, 5Hb, 5Hc, 5Hd, 5He, and 5Hf show alternative templates based on the template of Fig. 5H, but with one of the grids further divided in half;

Figs. 5Ia, 5Ib, 5Ic, 5Id, 5Ie, and 5If show alternative templates based on the template of Fig. 5I, but with one of the grids further divided in half;

Figs. 5Ja, 5Jb, 5Jc, 5Jd, 5Je, and 5Jf show alternative templates based on the template of Fig. 5J, but with one of the grids further divided in half;

Figs. 5Ka, 5Kb, 5Kc, 5Kd, 5Ke, and 5Kf show alternative templates based on the template of Fig. 5K, but with one of the grids further divided in half;

15 Figs. 6A and 6B show templates having a three-by-four dimensional ratio and divided into a grid structure based on a Japanese tatami mats of different relative sizes;

Figs. 7A-7I show templates having a three-by-five dimensional ratio and divided into a plurality of grids having dimensions based on a Japanese tatami mat.

20

Fig. 8a illustrates a standard web authoring program using a prior art screen division. Figs. 8b and 8c illustrate a web authoring program using a template system of the present invention;

Figs. 9a-9c illustrate various user driven repositioning of templates while maintaining the proportions the present invention;

Fig. 10 illustrates directional text flow changing based on frame orientation; and

Fig. 11 illustrates the progression of delving into a complex TatamiNet grid of information that rests within a single tatami shape sitting within a TatamiNet grid.

DETAILED DESCRIPTION

In general, a computer screen or page is in the form of a quadrilateral that may be divided to correspond to a first whole number of dimensional units 10 (x) in a first direction of measurement (e.g., height) by a second whole number of dimensional units 10 (y) in a second direction of measurement (e.g., width). For instance, as illustrated in Fig. 1, a template 20 may have a two-by-two dimensional configuration, i.e., a first measurement of two dimensional units 10 and a second measurement of two dimensional units 10. Computer templates for entry and display of information are usually subdivided into a variety of shapes having dimensions

based on random combinations of dimensional units. In accordance with the principles of the present invention, instead of providing templates having arbitrarily shaped and dimensioned grids, a system of screen templates 20 are provided with a plurality of grids arranged in accordance with the recombinant geometries and compositional imperatives of the classic Japanese tatami mat. The present invention thus provides a design system consisting of a series of templates resembling Japanese tatami mats and thus is referenced herein as "TatamiNet."

The traditional tatami mat is a floor mat or series of floor mats used to define and subdivide space within a given room. The proportions of a tatami mat have been standardized as a rectangle with approximately a two-to-one ratio. The templates 20 of TatamiNet are divided into grids proportionally based on the aspect ratio of the tatami mat's double square configuration. Thus, the present invention provides a user interface on a computer screen (likened to a room in which tatami mats are to be laid), or document, that is subdivided into a grid of areas herein referred to as "tatami mats" 30, each mat 30 having approximately a two-by-one dimensional configuration (measurements of dimensional units in a first and a second measurement direction) of a traditional Japanese tatami mat. The grids are arranged to completely fill the entire information area provided by the template.

As will be appreciated, various combinations of the TatamiNet may be created based on the basic two-to-one dimensional configuration ratio by combin-

ing mats of such proportions. The various templates of TatamiNet are selected and arranged depending on the proportions of the screen and the information to be provided such that the entire screen is divided into grids filling the template area. Thus, a screen having a two-by-two dimensional configuration may be subdivided into two side-by-side tatami mats 30, as shown in Figs. 2A and 2B. A screen with a two-by-three dimensional configuration likewise may be subdivided into an array of three tatami mats 30, as shown in Figs. 3A, 3B, and 3C. In a similar manner, screens with two-by-four dimensional configurations may be subdivided into an array of four tatami mats 30, as shown in Figs. 4A-4E, and screens with a three-by-four dimensional configurations may be subdivided into an array of six tatami mats 30, as shown in Figs. 5A-5K. As demonstrated by Figs. 7A-7I detailing three-by-five dimensional configurations, the present invention is equally applicable to larger and varying screen sizes and proportions. The term "screen" as used herein may refer to the entire physical display, or as would be understood by those of skill in the art, a portion or window of the display. It will be further understood by those of ordinary skill in the art that the approximate two-by-one dimensions of the mats may be varied at a minimum in an amount sufficient to allow the application of the present invention to screen ratios of standard computer displays.

Because the dimensional configuration ratio, rather than the actual size, is the basis for the shape and dimension of mats 30 of the templates 20 of the

present invention, the screen may be divided into larger-sized mats of the same traditional Japanese tatami mat two-by-one dimensional configuration ratio. For example, a screen larger than a two-by-four dimensioned screen, such as the three-by-four dimensioned screens shown in Figs. 6A and 6B, may be provided with at least one double-sized tatami mat 40 having a two-by-four dimensional configuration (twice the size of the standard two-by-one ratio of mats 30). Standard-sized tatami mats 30 are also provided, such that the entire template 20 is subdivided into grids having the proportions of the traditional Japanese tatami mats.

Various other template dimensional configurations, for example three-by-five, four-by-four, four-by-five, etc. are possible. Moreover, such dimensional configurations as a three-by-five screen cannot be subdivided into a plurality of tatami mats 30 that would completely fill the screen. Accordingly, as shown in Figs. 7A-7I, at least one square grid 50, having a one-by-one dimensional configuration ratio, must be provided so that the grids of template 20 completely fill the screen. It will be appreciated that a double-sized mat 40 may also be provided in combination with standard-sized tatami mats 30 to fill the screen. Mats 30, 40, and 50 may be arranged in a variety of manners to provide a number of templates 20 each having a different grid arrangement, as may be appreciated with reference to Figs. 7A-7BD.

Although the present invention is specifically directed to the provision of template grids that are dimensioned based on the proportions of the traditional

Japanese tatami mat, it is also within the scope of the present invention to provide smaller dimensioned grids. Specifically, square grids 50, such as provided in the three-by-five dimensioned templates of Figs. 7A-7BD, which are essentially half of each tatami mat 30. Thus, any number of the tatami mats 30 of Figs. 2A, 2B, 3A-3C, 4A-4E, 5A-5K, 6A, 6B, and 7A-7I may be further divided into individual square grids 50 having a one-by-one dimensional configuration ratio, so long as the grids of the desired dimensions fill the screen. This aspect of the present invention is consistent with the principles of the use of the tatami mat as a measure of space in Japanese architecture, wherein a room, or space, may be measured in both whole (a double square) and half (a single square) measures of Tatami.

Exemplary templates based on templates with only tatami mats 30 (grids having the dimensions of a standard Japanese tatami mat), but having square grids 50 instead of only tatami mat 30, are shown in Figures labeled with the same Figure number of the related template followed by a lower case letter. Thus, a modification of the template of Fig. 2A, dividing at least one area filled by a single tatami mat 30 in Fig. 2A into two side-by-side square grids, is illustrated in Figs. 2Aa and 2Ab. Similarly, Figs. 2Ba and 2Bb show modifications of the template of Fig. 2B; Figs. 3Aa-3Ac show modifications of the template of Fig. 3A, Figs. 3Ba-3Bc show modifications of the template of Fig. 3B; Figs. 3Ca-3Cc show modifications of the template of Fig. 3C; Figs. 4Aa-4Ad show modifications of the template

of Fig. 4A; Figs. 4Ba-4Bd show modifications of the template of Fig. 4B; Figs. 4Ca-4Cd show modifications of the template of Fig. 4C, Figs. 4Da-4Dd show modifications of the template of Fig. 4D; Figs. 4Ea-4Ed show modifications of the template of Fig. 4E; Figs. 5Aa-5Af show modifications of the template of Fig. 5A; Figs. 5Ba-5Bf show modifications of the template of Fig. 5B; Figs. 5Ca-5Cf show modifications of the template of Fig. 5C; Figs. 5Da-5Df show modifications of the template of Fig. 5D; Figs. 5Ea-5Ef show modifications of the template of Fig. 5E; Figs. 5Fa-5Ff show modifications of the template of Fig. 5F; Figs. 5Ga-5Gf show modifications of the template of Fig. 5G; Figs. 5Ha-5Hf show modifications of the template of Fig. 5H; Figs. 5Ia-5If show modifications of the template of Fig. 5I; Figs. 5Ja-5Jf show modifications of the template of Fig. 5J; Figs. 5Ka-5Kf show modifications of the template of Fig. 5K; Figs. 6Aa-6Ac show modifications of the template of Fig. 6A; and Figs. 6Ba-6Bc show modifications of the template of Fig. 6B.

It will be appreciated that the principles of the present invention may be applied to provide a large variety of screen template configurations for a variety of data/information entry and display programs and situations. The content developer, or user, thus has great latitude in customizing the screen to best suit his or her needs and/or tastes. The division of the screen into elongated units having the dimensions of a traditional Japanese tatami mat, as well as square units as desired, also permits a variety of arrangements of data or information. The templates may be rearranged, as

desired, to reconfigure and reorganize the mosaic of information displayed by the screen in its entirety. It is also within the scope of the present invention to permit rearrangement of grids of templates 20 as desired by the end user to rearrange grids to suit his or her needs and/or tastes.

5 Working with the TatamiNet family of templates, a content developer may program a site to allow users the opportunity to configure their screens through geometric rearrangement to allow for cultural preferences. For example, the text to be displayed may either be read in the vertical direction (e.g., Japanese) or in the horizontal direction (e.g., English). In particular, the on-screen information presented is subdivided into a number of grids making up a template having the dimensions of the screen on which the template is to be used and displayed. The content developer may create multiple pages within the same general grouping (e.g., 2x2, 2x3, etc.) to allow the end-user to choose the compositional model that best suits their cultural preference: left to right, top to bottom, or a combination of the two. In 15 this way, (as discussed in more detail below with reference to Fig. 10) the interface can be customized at will to suit not only the tastes and aesthetics of users at large, but also the orientation demands of either the Japanese (and more generally, Asian) or the Western user. Alternatively, the screen may be programmed to automatically generate alternate configurations within the same TatamiNet groupings, to allow the 20 end-user to select any configuration within the grouping. The system may also be

configured to query any language preferences stored on the end-user's computer or otherwise associated with the user.

The templates of the present invention may be provided as a series of templates for web authoring tools, such as Fusion™. Fig. 8 shows the difference between a Web authoring program using a prior art screen division, Fig. 8a, and one using a template system of the present invention, Figs. 8b and 8c.

Alternatively, the templates of the present invention can be implemented in various interfaces and programs as a system of repositionable frames with a grid: e.g., as a browser interface, as a plug-in to a browser, as an add-on to an internal communications application, or as a series of templates that work on "snap-to guides" within any software programs containing layout capabilities (e.g., Quark™, Filemaker™, etc.). In every instance, the templates automatically divide a screen into frames, each frame being used to enter or display data, information, graphics, etc., as desired. These frames may act as HTML-like frames. In some instances, the interface might allow the user to reposition the frames within the overall grid system.

Fig. 9a-c show various examples of how such repositioning would appear to the user. The transition from screens 9000 to 9000' in Fig. 9a shows a typical example in which a mats may be enlarged or decreased while maintaining the proportions of the present invention. Graphic mat 9001 is shown as enlarged to 9001', mats 9003, 9004, 9005 and 9006 are decreased in size to 9003', 9004', 9005'

and 9006', while mat 9002 maintains the same size but changes in orientation to 9002'.

Fig. 9b illustrates a typical implementation of this system as a so-called "desktop display" for an operating system. Screen 9010 illustrates a typical desktop display for a system using the present invention. A first section of the screen 9012 is used to display e-mail information, and a second section 9011 displays a web browser. The user may wish to focus on the web browser 9011 by increasing its size and changing its location. The system increases the size of web browser 9011' and decrease the size of other grids 9013 - 9016 to 9013' - 9016'. Certain applications, such as e-mail 9012 may be selected to maintain their size 9012'. As illustrated, although the size and location of the grids is changed, the system maintains the proportions of the present invention. Fig. 9c also shows a transition wherein individual grids change size, but the overall system maintains the proportions of the present invention.

As illustrated in Fig. 10, the interface may allow the user to have directional text flow correspond to the vertical or horizontal orientation of the frame within the grid. Thus, for example, a user viewing language having a horizontal directional flow may prefer a horizontal orientation for the mat containing such information (i.e. a 2x1 mat wherein the mat is 2 dimensional units high (horizontal axis) and 1 dimensional unit wide (vertical axis)), while a user viewing language

having a vertical directional orientation may prefer a vertical orientation for the mat containing such information (i.e. a 1x2 mat wherein the mat is 1 dimensional unit high (horizontal axis) and 2 dimensional units wide (vertical axis)). Fig. 10 shows an example of how such directional text flow would appear to the user changing from a screen 1000 having a vertical directional text flow, as may be preferable for the English language, to a screen 1000' having a horizontal directional text flow, as may be preferable for the Japanese language (the term "text" including character based languages). Screen 1000 is divided into several TatamiNet mats, including mats 1001, 1002 and 1003 having a text in a vertical orientation as indicated by symbols ">" and mat 1004 displaying graphic information. For a Japanese language orientation screen 1000', text mats 1001, 1002 and 1003 would be converted into mats 1001', 1002' and 1003' having a horizontal orientation as indicated by symbols "v". As noted above, the system may allow the user to switch between vertical and horizontal orientations, or the orientation may be automatically changed based on the user's selected language which may be automatically selected based on user configuration information. Thus, TatamiNet may be used in many situations or applications requiring the entry and/or display of data or information, such as text or graphics.

While the foregoing description and drawings represent the preferred embodiments of the present invention, it will be understood that various additions, modifications and substitutions may be made therein without departing from the

spirit and scope of the present invention as defined in the accompanying claims. In particular, it will be clear to those skilled in the art that the present invention may be embodied in other specific forms, structures, arrangements, proportions, and with other elements, and components, without departing from the spirit or essential characteristics thereof. For instance, it will be appreciated that each template of the present invention is divided into grids that are preferably based on the dimensions of a Japanese tatami mat, it is within the scope of the invention to provide grids with different dimensional configurations as discussed above. One skilled in the art will appreciate that the invention may be used with many modifications of structure, arrangement, proportions, and components and otherwise, used in the practice of the invention, which are particularly adapted to specific environments and operative requirements without departing from the principles of the present invention. The presently disclosed embodiments are therefore to be considered in all respects as illustrative and not restrictive, the scope of the invention being indicated by the appended claims, and not limited to the foregoing description.

Further, applications today primarily deal with the screen as a flat surface or two-dimensional space; in the near future, it is envisioned that the proposed invention would have application as well to the design and architecture of space conceived as virtual or three-dimensional. One example of such a potential development would solve the current problem where delving into a website involves

going from one page to the next, flat pages "linked" to other flat pages. An after-
arising development could allow one to enter "into" a page, delving into a complex
TatamiNet grid of information that rests within a single tatami shape sitting within a
TatamiNet grid. Fig. 11 shows an example of how the TatamiNet grid of informa-
tion can be delved into by a user, taking one grid 1101 of the screen 1100 and
enlarging it into it's own series 1111 - 1118 of TatamiNet grids. Likewise grid 1118
is enlarged into a new series 1120 - 1123 of TatamiNet grids.

WHAT IS CLAIMED IS:

1 1. A template for the display of information, said template
2 having dimensional configuration of a height of approximately a first whole number
3 of dimensional units and a width of approximately a second whole number of dimen-
4 sional units, said template comprising: a plurality of grids dimensioned to fill said
5 template, said grids being dimensioned to have approximately a two dimensional unit
6 by one dimensional unit configuration.

2 2. The template of claim 1, wherein all of said grids of said
3 template have an approximately two dimensional unit by one dimensional unit
4 configurations.

5 3. The template of claim 1, wherein at least one of said grids is
6 further subdivided into two grids each having an approximately one dimensional unit
1 by one dimensional unit configuration.

2 4. The template of claim 1, wherein said template is provided in
3 a Web authoring program for generating pages for display with a browser program,
4 said grids comprising frames in which information may be entered, through said
5 authoring program and displayed via said browser program.

1 5. The template of claim 1, wherein said template is provided
2 within a software program, said grids comprising frames in which information may
3 be entered to said software program.

1 6. A system of templates for the display of information, each said
2 template having a dimensional configuration of a height of approximately a first
3 whole number of dimensional units and a width of approximately a second whole
4 number of dimensional units and being subdivided into a plurality of grids
5 dimensioned to fill said template, wherein at least one of said grids has an approxi-
6 mate two dimensional unit by one dimensional unit configuration, each of said tem-
7 plates in said series having a different arrangement of grids therein.

1 7. The template system of claim 6, wherein all of said grids of
2 said series templates have approximately a two dimensional units by one dimension-
3 al unit configurations.

1 8. The template system of claim 6, wherein at least one of said
2 grids is further subdivided into two grids each having an approximately one dimen-
3 sional unit by one dimensional unit configuration.

1 9. The template system of claim 6, wherein said series of
2 templates is provided in a Web authoring program for generating pages for display
3 via a browser program, said grids comprising frames in which information may be
4 entered through said authoring program and displayed via said browser program.

1 10. The template system of claim 6, wherein said series of
2 templates is provided within a software program, said grids comprising frames in
3 which information may be entered to said software program.
4

5 11. A method of arranging information, including text and graphic
6 images, in a template having a dimensional configuration of a height of approxi-
7 mately a first whole number of dimensional units and a width of approximately a
second whole number of dimensional units, said method comprising the step of
providing at least one template subdivided into a plurality of grids dimensioned to
fill said template, wherein at least one of said grids has an approximate two-by-one
dimensional configuration.

1 12. The method of claim 11, further comprising the step of
2 providing a plurality of templates, each said template having a different arrangement
3 of grids.

1 13. The method of claim 11, further comprising the step of
2 separately entering information into each of said grids such that said template
3 displays different information in said grids.

1 14. The method of claim 11, further comprising the step of being
2 provided for in a Web authoring program for generating pages for display via a
3 browser program in which information may be entered through said authoring
4 program and displayed via said browser program.

1 15. A method for displaying text and other information on a
2 display, said text information having at least two formats, at least one of said formats
3 having a horizontal directional orientation and at least one of said formats having a
4 vertical directional orientation, said method comprising:

5 creating a first screen by dividing the area of the display into a first
6 plurality of grids, each of said first plurality grids being dimensioned to have
7 approximately a two dimensional unit by one dimensional unit configuration, at least

8 one of said first plurality of grids displaying said text information formatted in said
9 horizontal directional orientation, said at least one grid having a horizontal orienta-
10 tion corresponding to the orientation of said textual information format;

11 creating a second screen by dividing the area of the display into a
12 second plurality of grids, each of said second plurality of grids being dimensioned to
13 have approximately a two dimensional unit by one dimensional unit configuration,
14 each said grid having a horizontal or vertical orientation, at least one of said first
15 plurality of grids displaying said text information formatted in said vertical direc-
16 tional orientation, said at least one grid having a vertical orientation corresponding to
17 the orientation of said textual information format;

18 selecting a first format for said text information from said at least two
19 formats; and

20 displaying said screen having said textual information corresponding
21 to said selected format.

1 16. The template of claim 15, wherein at least one of said grids is
2 further subdivided into two grids each having an approximately one dimensional unit
3 by one dimensional unit configuration.

ABSTRACT

A system comprising templates for entering and displaying information/ data, such as in a Web page or browser, or in the interface for software or an operating system is disclosed. The screen is divided into an array of grids filling the entire area of the template. At least one, and preferably a majority of the grids are dimensioned based on the proportions of traditional Japanese tatami mats. The grids guide design decisions made by the interface designer or graphics designer in carving up and organizing a page, creating an underlying structure and framework for laying out and displaying the information/ data. A primary application of the template is in interface and website design, in which the template automatically divides the screen into frames, each frame being used to enter, edit and/ or display information on the computer screen or Web page. The system optionally allows an end-user to reposition the grids within the template, reorganizing the information/ data to suit specific needs. The system also has application to the control of the directional flow of language, wherein repositionable grids are oriented to facilitate vertical or horizontal flow of text positioned within said grids.

Figure 5A

10	20
30	30
30	30

Figure 5B




Figure 5C




Figure 5D




Figure 5E




Figure 5F







Figure 5G




5Aa




5Ab



5Ac




5Ad




5Ae




5Af




5Ba



5Bb




5Bc




5Bd




5Be




5Bf




5Ca




5Cb




5Cc




5Cd




5Ce




5Cf



5Da




5Db




5Dc




5Dd




5De




5Df




5Ea




5Eb




5Ec




5Ed



5Ee




5Ef




5Fa




5Fb




5Fc




5Fd



5Fe




5Ff




5Ga




5Gb




5Gc



5Gd



5Ge



5Gf




Figure 8




Fig. 8a-
PRIOR ART




Fig 8 b




Fig. 8 c

Figure 9

Fig. 9a

User Driven Repositioning of Frames Within the Overall Grid System




Fig. 9b





Fig. 9c



9001'




9002'

9003'

9004'

9005'

9012'



9010'

9011'

9012'

9013'

9014'

9015'

9016'





Diagram illustrating the process of changing text flow direction based on frame orientation.

The left side shows a frame with three columns of text (1001, 1002, 1003) and one image column (1004), labeled "Directional Text Flow Changing Based on Frame Orientation".

An arrow points to the right side, which shows the same frame with the text columns (1001', 1002', 1003') rotated 90 degrees clockwise, labeled "(e.g. Japanese)".

Figure 11



COMBINED DECLARATION AND POWER OF ATTORNEY

(Original, Design, National Stage of PCT or CIP Application)

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name, I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

METHOD AND SYSTEM FOR COMPUTER SCREEN LAYOUT BASED ON A RECOMBINANT GEOMETRIC MODULAR STRUCTURE

the specification of which: *(complete (a), (b) or (c) for type of application)*

Regular or Design Application

- (a) X is attached hereto.
- (b) _____ was filed on _____ as Application Serial No. _____ and was amended on _____ *(if applicable)*.

PCT Filed Application Entering National Stage

- (c) _____ was described and claimed in International Application No. _____ filed on _____ and as amended on _____ *(if any)*.

Acknowledgment of Review of Papers and Duty of Candor

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, § 1.56(a).

In compliance with this duty there is attached an information disclosure statement. 37 CFR 1.97.

I hereby claim the benefit under 35 U.S.C. § 119(e) of any United States provisional application(s) listed below.

(Application Number)

(Filing Date)

(Status)

Power of Attorney

As a named inventor, I hereby appoint Constance S. Huttner, Reg. No. 35,903, Evelyn M. Sommer, Reg. No. 19,603, David W. Hansen, Reg. No. 38,910, Andrew F. Strobert, Reg. No. 35,375, Daniel A. DeVito, Reg. No. 32,125, Jose Esteves, Reg. No. 41,011 and Daniel F. Coughlin, Reg. No. 36,111, of the firm of Skadden, Arps, Slate, Meagher & Flom LLP, with offices at 919 Third Avenue, New York, NY 10022, as attorneys to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith.

I hereby authorize my attorney to insert the serial number and filing date indicated above.

SEND CORRESPONDENCE TO:
EVELYN M. SOMMER, ESQ.
c/o Skadden, Arps, Slate, Meagher & Flom LLP
919 Third Avenue
New York, New York 10022


DIRECT TELEPHONE CALLS TO:
Evelyn M. Sommer
(212) 735-2216

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Inventor: WILLIAM DRENTTEL
Post Office Address: Post Office Box 159
Falls Village, Connecticut 06031

Country of Citizenship: U.S.A.



(Inventor's Signature)


(Date)

Inventor: JESSICA HELFAND
Post Office Address: Post Office Box 159
Falls Village, Connecticut 06031

Country of Citizenship: U.S.A.


(Inventor's Signature)


(Date)